

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	134	((node device) NEAR2 (id number identification)) AND ((disconnect connect reset restart stop start) near2 (node device peripheral computer pc workstation host terminal)) AND (("1394") NEAR4 (network)) AND (@ad<"19980731" @rlad<"19980731")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 13:36
L2	167	((node device) NEAR2 (id number identification)) AND ((disconnect\$4 connect\$4 reset\$4 restart\$3 stop\$4 start\$3) near2 (node device peripheral computer pc workstation host terminal)) AND (("1394") NEAR4 (network)) AND (@ad<"19980731" @rlad<"19980731")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 13:36
L3	117	((node device peripheral) NEAR2 (id number identification)) AND ((disconnect connect reset restart) near2 (node device peripheral computer pc workstation host terminal)) AND (("1394") NEAR4 (network)) AND (@ad<"19980731" @rlad<"19980731")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 13:36
L4	396	("1394") AND ((node device peripheral) NEAR2 (id number identification)) AND ((disconnect connect reset restart) near2 (node device peripheral computer pc workstation host terminal)) AND (list structure tree) AND (@ad<"19980731" @rlad<"19980731")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 13:36
L5	146	("1394") AND ((node device peripheral) NEAR2 (id number identification)) AND ((disconnect connect reset restart) near2 (node device peripheral computer pc workstation host terminal)) AND (@ad<"19980731" @rlad<"19980731") AND (vcr)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 13:37